

The Egyptian Non-prescription Medicinal Products (OTC) List

1-Approved Active Ingredients' List May 2021

No.	Generic name	Dosage form or Route	Notes
1	Aceclofenac	Topical	
2	Minerals	Oral, topical	
3	Vitamin A	Oral, topical	• Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM
4	Vitamin D	Oral, topical	• Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM
5	Vitamin E	Oral, topical	• Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM
6	Vitamin K	Oral, topical	• Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM
7	Vitamin B	Oral, topical	
8	Vitamin C	Oral, topical	
9	Aluminium Hydroxide	Oral	• Adequately labeling mentioning impaired renal function precautions
10	Ambroxol	Oral	
11	Antazoline	Topical	
12	Aspirin (75,81,100,150,162,250, 300,320,325)	Oral	• Concantrations above 325mg POM
13	Benproperine	Oral	• May cause dizziness

No.	Generic name	Dosage form or Route	Notes
14	Benzocaine	Topical spray, Oral spray & gel & lozenges	• Adequate labeling mentioning Methemoglobinemia warning. • Used only in the following age groups: - Dental gel: From 2 years, only with medical supervision - Oral solution: From 6 years - Dental spray: From 6 years - Lozenges: From 12 years
15	Bisacodyl	Oral, rectal	
16	Bromhexine	Oral	
17	Brompheniramine	Oral	• Use of this drug is completely prohibited in children less than 2 years. • Use of this drug is prohibited in children less than 6 years without medical supervision.
18	Butenafine	Topical	
19	Caffeine	Oral	• In combination products only.
20	Calamine	Topical	
21	Calcium carbonate, Magnesium carbonate	Oral	• Caution should be generally exercised in the case of patient with impaired renal function.
22	Camphor	Topical	
23	Carbinoxamine	Oral	• Contraindicated in patients less than 2 years. • Antihistamines may cause drowsiness. Use caution when driving or using machine.
24	Carboxymethylcellulose	Eye drops	

No.	Generic name	Dosage form or Route	Notes
25	Cetirizine	Oral	• Contraindicated in infants less than 6 month. • In chronic conditions, it should be used under medical supervision. • May cause drowsiness; Use caution when driving a motor vehicle or operating machinery
26	Chlorhexidine Gluconate	Topical	
27	Chlorpheniramine Maleate	Oral	• Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision. • May cause drowsiness; caution when driving a motor vehicle or operating machinery. • In chronic cases, it must be used under medical supervision.
28	Cinchocaine	Topical	
29	Citric Acid	Oral	
30	Clemastine	Oral	• Sedation side effects should be clearly labeled. • In chronic conditions, it must be used under medical supervision.
31	Clotrimazole	Topical	
32	Cromoglicic acid	Nasal	
33	Cromolyn sodium	Nasal	• Must not be used in children under 2 years unless directed by a doctor. (to include or to not include age limits)
34	Crotamiton	Topical	
35	Cyproheptadine	Oral	• Sedation side effects should be clearly labeled • Take care in geriatric because of atropine like effects.
36	Desloratadine	Oral	• Antihistamines may cause drowsiness. Use caution when driving or using machine.

No.	Generic name	Dosage form or Route	Notes
37	Dexbrompheniramine	Oral	• Antihistamines may cause drowsiness. Use caution when driving or using machine. • In case of chronic cases, it must be used under medical supervision.
38	Dexchlorpheniramine	Oral	• Sedation side effects should be clearly labeled (daily med) • In case of chronic cases, it should be used under medical supervision.
39	Dexpanthenol	Topical	
40	Diclofenac Sodium	Topical	
41	Dicyclomine	Oral	
42	Dihydroxy Aluminum	Oral	• Adequately labeling mentioning impaired renal function precautions • Used with extreme caution and only in necessary cases of ascites resulting from liver failure, hypertensive patients and heart diseases.
43	Dimethicon	Oral & Topical	
44	Dimetindene maleate	Oral & Topical	• Antihistamines may cause drowsiness. Use caution when driving or using machine. • Sedation side effects should be clearly labeled • Not used in children less than 1 year. • Topical anti-histaminic may cause hypersensitivity; avoid in eczema; photosensitivity - Not recommended for longer than 3 days
45	Diphenhydramine	Oral & Topical	• Sedation side effects should be clearly labeled. • Topical anti-histaminic may cause hypersensitivity; avoid in eczema; Not recommended for longer than 3 days in photosensitivity • Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision.
46	Docosanol	Topical	
47	Domiphen bromide	Oral	

No.	Generic name	Dosage form or Route	Notes
48	Doxylamine succinate	Oral	• In chronic cases, it should be used under medical supervision. • May cause drowsiness. Use caution when driving or using machinery. • Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision • Use of this drug in pregnancy is prohibited as it may cause birth defects.
49	Doxylamine succinate, Caffeine	Oral	• In chronic cases, it should be used under medical supervision. • May cause drowsiness. Use caution when driving or using machinery. • Use of Doxylamine is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision • Use of Doxylamine in pregnancy is prohibited as it may cause birth defects.
50	Etofenamate	Topical	
51	Fexofenadine	Oral	• Not used in children less than 2 years.
52	Folic acid	Oral (< 1 mg)	
53	Guaifenesin	Oral & rectal	• Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision.
54	Hexetidine	Mouth Wash	
55	Hydrocortisone	Topical	Prolonged use of corticosteroids may increase the incidence of secondary infection.
56	Hyoscine	Oral	
57	Ibuprofen	Topical	
58	Indomet(h)acin	Topical (maximum strength 1 %)	

No.	Generic name	Dosage form or Route	Notes
59	Iron	Oral	• In combinations only • ADR: Constipation, darkening of stools, Dental discoloration, Urine discoloration.
60	Lactulose	Oral	
61	Lidocaine	Topical	Lidocaine 2 % products are not approved to treat teething pain as use in infants and young children can cause serious harm, including death
62	Loratadine	Oral	• In chronic cases, it should be used under medical supervision. • May cause drowsiness. Use caution when driving or using machinery.
63	lysosyme HCl , Dequalinium Chloride	Lozenges	
64	Magaldrate	Oral	
65	Magnesium Hydroxide	Oral	
66	Magnesium Trisilicate	Oral	
67	Mebevirin	Oral	
68	Meclizine	Oral & rectal	• The use of this drug is contraindicated in children under 2 years of age, and in children 2-12 years is allowed only under medical supervision.
69	Menthol	Topical	
70	Mepyramine maleate	Oral & Topical	• For the oral dosage forms: 1- In chronic cases, it should be used under medical supervision. 2- May cause drowsiness. Use caution when driving or using machinery.
71	Methyl salicylate	Topical	
72	Miconazole	Topical & Oral Gel (Maximum strength 2%)	
73	Minoxidil sulphate	Topical only except gel	• Maximum strength 5% for use as OTC

No.	Generic name	Dosage form or Route	Notes
74	Naphazoline	Nasal (Maximum strength 0.05%) & Ophthalmic (Maximum strength 0.015%)	- Treatment duration should not exceed 5 days; frequent or prolonged use may cause nasal congestion to recur or worsen. [FDA & technical committee decision] - As a single agent it should not be used in children <12 years as a single agent - As a combination product with prednisolone it should not be used in children < 15 years.
75	Naproxen	Topical	
76	Nicotine	Oral Gum	
77	Nonoxynol-9	Vaginal suppository	Take care of risk of infection (STD) Std: Sexually transmitted disease.
78	Noscapine	Oral	Maximum single dose 30mg, maximum daily dose 150mg.
79	Oral rehydration salts	powder for oral solution	
80	Oxetacaine	Oral	Maximum dose 10mg , Maximum daily dose 30mg
81	Oxymetazoline	Nasal	- Treatment duration should not exceed 3 days; frequent or prolonged use may cause nasal congestion to recur or worsen. - used for adults and children over 12 years of age - Maximum Strength 0.05% & 0.025%
82	Paracetamol	All dosage forms except for: 1.Modified release tablets 2.Prolonged release tablets 3.Injection	- Adequately labeling mentioning hepatitis warning - Maximum dose 1g, maximum daily dose 4g, for adult & conc 500mg , 1gm
83	Permethrin	Topical only 1% shampoo Anti-lice 2.5% cream , emulsion, lotion , ointment Anti-scabies	leave on hair for 10 min (but no longer), use for a single application but may repeat 7 days after first treatment if lice still present (uptodate)
84	phenylephrine	oral	Not use in children less than 6 years , present in EDA as oral combinations but present as single component eye drops, ear , ophthalmic

No.	Generic name	Dosage form or Route	Notes
85	Pheniramine maleate, Ammonium chloride	Oral	• May cause drowsiness, caution should be taken when driving or operating machinery.
86	Picosal phosphate (Na)	Oral drops , tablets	• Short term use only, Maximum dose 7.5mg per day as sodium picosulfate hydrate for adults and adolescents 15 years of age and over. For children between 11 and 14, maximum dose 4.5mg per day. General sale if for adults and children over 10 years. Maximum strength 0.1%, maximum dose 15mg, maximum daily dose 15mg, (AESGP)
87	Piperonyl butoxide	Topical only	
88	Piroxicam	Topical only	• Maximum strength 0.5% in adults and children over 12 years, for a maximum of 7 days. UK. , AESGP
89	Polyethylene glycol 3350	Oral	• Can't be used for more than 7 consecutive days, Indicated in temporary constipation in adults and children over 6 months. (France AESGP)
90	Polymyxin B	Topical only	
91	Povidone-Iodine	Topical only	
92	Pramocaine	Topical only	
93	Promethazine	Oral	• Use is completely prohibited in children < 2 years, Use in children < 6 years must only be under medical supervision
94	Propanthelin	Topical only	
95	Pseudoephedrine	Oral only	- 30 mg/5ml: Contraindicated in children less than 12 years old. - 15 mg/5ml: Contraindicated in pediatrics less than 2 years old and from 2-12 years old used under medical supervision.
96	Psyllium Muciloid (Ispaghula)	Oral	• Administration precautions should be adequately labeled
97	pyrethrins	Topical	

No.	Generic name	Dosage form or Route	Notes
98	Racecadotril	Oral , Powder,hard gelatin capsules,sachets(granules for oral suspension)	
99	Selenium	Oral tablets	• Only in Combination
100	Simethicon	Oral(Chewable tablets ,suspension,oral drops)	
101	Sodium Bicarbonate	Oral	Only in Combination يستخدم بحذر للمرضى المطلوب منهم الإقلال من استخدام الصوديوم (الملح) مرضى القلب والفشل الكلوي والاستسقاء الناتج عن الفشل الكبدي
102	Sodium Chloride	nasal spray ,nasal gel & ophthalmic solution as eye drops	
103	Sodium Chromoglicate	Eye drops	• Maximum strength 2% • OTC indication: only for the relief and treatment of seasonal and perennial allergic conjunctivitis
104	Terbinafine	Topical (Cream,gel,topical solution, spray)	
105	Triamcinolne oral base	Oral paste	• For painful ulcer. • OTC only in those aged 18 years and over.
106	Tribneocide	Topical	
107	Tripolidine	Oral(Tablets ,syrup)	• Contraindicated in children less than 2 years. • Must be used under medical supervision in children less than 6 years. • Must be used under medical supervision in chronic cases. • Antihistamines may cause drowsiness. Use caution when driving or using machinery. • Take care in geriatric because of atropine like effects.
108	Xylometazoline	Nasal drops	• Maximum strength : up to 0.1% • Prohibited in children < 6 years, and • pharmacology warning.

No.	Generic name	Dosage form or Route	Notes
109	Zinc Sulphate	Oral	
110	Miconazole Nitrate 2% Hydrocortisone Micronized 1% Cream	Topical	
111	Fexofenadine Hydrochloride 60mg +Pseudoephedrine Hydrochloride 120mg	Oral	• Used only in those aged 2 years and over.
112	Bacillus Clausii spores 2 Billion/5ml	Oral	
113	Paracetamol 500 mg Caffeine 65mg	Oral	
114	Sodium alginate 500mg/10ml, Sodium Bicarbonate 267mg/10ml, Calcium Carbonate 160mg/10ml	Oral sachet	• Use with caution in patients on sodium-restricted diet for example in patients with hypertension, heart disease, renal failure and ascites from hepatic failure.
115	Sodium alginate 500mg/5ml, Sodium Bicarbonate 100mg/5ml	Oral suspension	• Use with caution in patients on sodium-restricted diet for example in patients with hypertension, heart disease, renal failure and ascites from hepatic failure.
116	Sodium alginate 250mg, Sodium Hydrogen carbonate 133.5, Calcium carbonate 80mg	Oral Chewable Tablets	• Use with caution in patients on sodium-restricted diet for example in patients with hypertension, heart disease, renal failure and ascites from hepatic failure.
117	Beta-Sitosterol 0.25g/100g	Topical ointment	

2-Approved Drug Products by Trade Names till July 2024

List of Newly OTC switch-approved products According to Guidelines for Classification as Nonprescription Medicinal Products (OTC)

August 2024

	Trade Name	Active Ingredient	Approved Pack Limit
1	Levohistam Film Coated Tablets	Levocetirizine Dihydrochloride 5mg	Carton box contain 1, 2 or 3 (Al/PVC) strips, each of 10 film coated tablets + insert leaflet
2	Levohistam 5mg/10ml Syrup	Levocetirizine Dihydrochloride 5mg /10ml	Carton box containing 135ml amber PET plastic bottle contains 120 ml solution with HDPE plastic closure with compressible (LDPE) plastic foam liner and red tamper evident ring and 20 ml measured plastic cup with insert leaflets.
3	Levohistam 5mg/1ml oral drops	Levocetirizine Dihydrochloride 5mg /1ml	Carton box contains amber (Type III) sodalime-silica glass bottle containing 10 ml or 20 ml solution with white (HDPE) plastic pilfer proof cap, (LDPE) internal foam liner and attached with white LDPE plastic 1ml dropper attached to HDPE plastic nozzle with an insert leaflet
4	Levcet Melt in mouth tablets	Levocetirizine Dihydrochloride 5 mg	Carton box containing 1 , 2 (Al/Opaque PVC / PVDC) strip each of 10 tablets & an inner leaflet .
5	Levcet Oral Solution	Each 5 ml contains: Levocetirizine Dihydrochloride 2.5 mg	Carton box containing amber PET (Polyethylene terephthalate) bottle containing 120 ml (capacity 149.6 ± 3 ml) oral solution with white polypropylene closure cap containing white solid PE foam (low density polyethylene and carbon dioxide) inside with graduated transparent polypropylene plastic measuring cup and an insert leaflet .
6	Antopral 20 mg	Pantoprazole sesquihydrate 22.55 mg equivalent to Pantoprazole 20 mg	Carton box containing 2 strips (Al/Al) each of 7 gastro-resistant tablets and inner leaflet.
7	Rani-F Effervescent Granules	Famotidine 0.02 gram /sachet	Carton box containing 6,12 or 60 aluminum laminated foil sachets each sachet consists of 4 layers from inside to outside (LDPE/Aluminium/LDPE/paper), each sachet contains 5 gm effervescent granules with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
8	Solofresh sterile Ophthalmic Solution	Sodium Hyaluronate 2 mg / ml	Carton box containing (LDPE) plastic bottle containing 10 ml solution with white LDPE plastic self-dropper covered with white PP plastic cover + insert leaflet
9	Nasacort AQ Nasal Spray Aqueous Suspension	Triamcinolone Acetonide 55mcg (0.055% w/w or mg/actuation)	A carton box containing a 20ml high density polyethylene (HDPE) bottle fitted with a metered-dose spray pump unit, which contains 16.5gm suspension (with 9.075mg triamcinolone acetonide) providing 120 actuation & an inner leaflet.
10	Maalox Control Gastro-resistant tablets	Pantoprazole 20 mg as sodium sesquihydrate 22.575 mg	Carton box contains one (Alu/Alu) blister of 14 gastro-resistant tablets with insert leaflet.
11	Enterogermina 4 billion / 5 ml	Each 5 ml vial contains : Spores of poly-antibiotic resistant B.clausii 4 billion	Cardbord cartons containing 10 low density polyethylene bottles produced by plastic extrusion each containing 5 ml oral suspension and inner leaflet .
12	Essential Capsule 300 mg	Phospholipids from soya Beans 76% (3 sn-phosphatidyl)choline 300 mg	Carton box containing 3 Aluminum / Perlalux Tristar ultra (Transparent PVC /PE / PVDC) blisters Each of 10 H.G.C. +Inner leaflet.
13	Melacryst Oro-dispersible film	Melatonin 1.5 mg	Carton box containing 10,20,30 Oro-dispersible films ,each one film packed in a four layer pouch form outside to inside (paper ,LDPE , Aluminium ,LDPE) with insert leaflet.
14	Hemoclar topical cream	Each 1 gram contains : Pentosan sulphuric polyester 5 mg	Carton box containing printed sealed collapsible aluminium tube of 40 gm cream closed with HDPE cap with insert leaflet.
15	Brufen 200 mg Sugar Coated tablet	Ibuprofen 200 mg	Carton box containing 3 (Al/transparent PVCs)strips, each of 10 ssugar-coatedtablets and an insert leaflet.
16	Brufen syrup	Ibuprofen 100mg/5ml Syrup	Carton box containing an amber glass (type III) bottle of 110 or 150 ml syrup and an insert leaflet.
17	Brimillergy Ophthalmic solution	Each 1 ml solution contains : Brimonidine Tartrate 0.25 mg	Carton box containing 10 ml white plastic bottle (LDPE) contains 7.5 ml solution with (LDPE) dropper and white (PP) plastic cover with insert leaflet .
18	Notussil Oral Suspension	Each 5 ml of oral suspension contains : Cloperastine Fendizoate 35.4 mg equivalent to Cloperastine HCl 20 mg	-Carton box containing polyethylene terephthlate amber glass (Type III) bottle (its capacity 79.7 ± 2 ml) containing 60 ml and pamphlet . - Carton box containing polyethylene terephthlate amber glass (Type III) bottle (its capacity $140 \text{ ml} \pm 2.8 \text{ ml}$) containing 120 ml and pamphlet.

	Trade Name	Active Ingredient	Approved Pack Limit
19	Gastrazole Capsules	Each 240 mg pellets contain : Omeprazole 20 mg	Carton box contains HDPE plastic bottle lined with (Al / transparent colorless LDPE) from outside to inside induction seal containing 14 hard gelatin capsules and LDPE white plastic capsules containing white silica gel desiccant covered with protective paper layers with HDPE outer plastic screw cap and HDPE inner plastic cap lined with protective layers of paper with insert leaflet.
20	Evastine Film Coated Tablets	Ebastine 10 mg	Carton box containing 1 or 2 (Al / transparent PVC) strips , each of 10 film coated tablets with insert leaflets.
21	Nizapex Topical Shampoo	Each 1 gm contains : Ketoconazole 20 mg	Carton box containing a plastic (shoulder material : HDPE & sleeve material : LDPE) tube of 80 ml shampoo & closed with polypropylene cap with insert leaflet.
22	Ticanase Nasal spray	Each actuation contains : Fluticasone Propionate 50 mcg	Carton box containing amber glass type (III) bottle of capacity 15 ml containing 7 gm suspension with white polypropylene nasal sprayer head delivers 60 puffs ,capped with transparent polypropylene cap and INOX pump with insert leaflet.
23	Movicol Powder for oral solution in sachets	Each 13.8 gm sachet contains : -Macrogol 3350 13.125 gm -Sodium Bicarbonate 0.1785 gm -Sodium Chloride 0.3507 gm -Potassium Chloride 0.0466 gm	Carton box containing 20 sachets ,each of 13.8 gm powder made of laminate consisting of four layers (Paper /LPDE / LA /LDPE) assembled in pairs duplex separated by perforation line with insert leaflet .
24	Radian Massage cream Topical Cream	Camphor 1.410% W/W + Camphor oil white 0.320% W/W + Capsicum Oleoresin 0.005% W/W + Menthol 2.540% W/W +Methylsalicylate 0.420% W/W	Carton box containing lacquered aluminum tube with aluminum seal of 40gm or 100gm cream with (HDPE) screw cap inner leaflet.
25	Bronchicum Elixir	Each 5 ml contains: Thyme fluid extract 0.325 g Primula root fluid Extract 0.162 g	

	Trade Name	Active Ingredient	Approved Pack Limit
26	Movicol Pediatric Plain	Each 6.9 gm sachet contains: -Macrogol 3350 6.563 gm -Sodium Chloride 175.4 mg -Sodium Hydrogen Carbonate 89.3 mg -Potassium Chloride 25.1 mg	Carton box containing 30 sachets, each of 6.9 gm powder made of laminate consisting of four layers (paper/LDPE/AL foil/LDPE) with insert leaflet.
27	Stomatect Oral suspension	Each 5 ml contains : Potassium Bicarbonate 100 mg Sodium Alginate 500 mg	Carton box containing amber glass type III containing 150 or 300 ml suspension with white circular polypropylene cap havinf LDPE red ring at the edge and contain a foam PVDC stopper at upside with insert leaflet .
28	Sinupret Coated Tablets	Gentian root Gentiana Radix 6 mg ,Primrose flowers (Primulae flows) with calyx 18 mg ,Common sorrel herb (Rumicis Herba) 18 mg , Elder flowers (Sambuci flows) 18 mg ,Shop vervain wort (Verbenae herba) 18 mg	Carton box containing (Al/ Transparent PVC / PVDC) strips ,each of 25 coated tablets and inner leaflet.
29	Stopadol Night Film Coated Tablets	Paracetamol 500 mg + Diphenhydramine Hydrochloride 25 mg	Carton box containing 1 , 2 or 3 (Aluminum , transparent PVC) strips , each of 10 film coated tablets with insert leaflet .
30	Pentamix Syrup	Each 5 ml contains: -Tilia flowers aqueous extract 0.0625 gm -Guava Leaves aqueous extract 0.125 gm -Bitter Fennel fruits aqueous extract 0.05 gm -Eucalyptus leaves aqueous extract 0.025 gm -Thymus leaves aqueous extract 0.05 gm	Carton box contains amber glass bottle (type II) with white plastic cap with polyethylene foam and inner leaflet.
31	Nercafex Oro-dispersible Film	Caffeine anhydrous 40 mg	Carton box contains 10 or 20 or 30 oral dispersible films , each film packed in four layer pouch , from outside to inside (Paper , LDPE ,Aluminum & LDPE) with insert leaflet.
32	Algason Massage Cream	Each 1 g contains: Diethylamine Salicylate 0.1 gm+ Camphor 0.014 gm +Menthol 0.025 gm	Carton box inside it printed aluminum tube of 40 g cream with Al seal and white (HDPE) cap with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
33	Glycerin for adults Rectal suppositories	Glycerin 1.4 gm	Carton box containing one white opaque (PVC / LDPE) strip containing 5 suppositories with insert leaflet .
34	Glycerin for infants Rectal suppositories	Glycerin 0.7 gm	Carton box containing one white opaque (PVC / LDPE) strip containing 5 suppositories with insert leaflet.
35	Miopan Plus Oral suspension	Each 5 ml suspension contains: Magaldrate (Anhydrous) 0.54 gm Simethicone 0.04 gm	Carton box containing amber brown plastic (PET) bottle containing 100 ml suspension with HDPE plastic cap with insert leaflet.
36	Digicomag Chewable Tablets	Calcium Carbonate 680 mg Simethicone 25 mg Magnesium Carbonate (Heavy) 80 mg	Carton box containing 3 (AL/Transparent PVDC) blisters each contains 10 chewable tablets with insert leaflet.
37	Moov massage Topical cream	Each 1 g contains: Oleoresin capsicum 35% 0.42mg Camphor 12 mg Menthol 12.1mg Methyl salicylate 4.8 mg Oil of camphor 1.8 mg	Carton box containing AL laminated tube of 40gm or 100gm cream with (HDPE) screw cap and inner leaflet
38	Chitocal Hard Gelatin Capsules	Chitosan Powder 500 mg (Standardized deacetylation degree NLT 70% and NMT 90%) *Gymnema Sylvester leaves powder extract 50 mg (Standardized to 25% Gymnemic acid) *Vitamin C (ascorbic acid) 100 mg	Carton box containing 2,3,6 or 8 (Al / transparent PVC) strips each of 10 H.G.C and an inner leaflet.
39	Quick – Slim Hard Gelatin Capsules Containing Pellets	Each Capsule contains 240 mg of 50% Orlistat Pellets containing: Orlistat 120 mg	Carton box contains 1 or 3 (Al / transparent colorless PVC) strips of 10 hard gelatin capsules with insert leaflet.
40	Emla Topical Cream	Each 1 gm contains: Lidocaine 25 mg Prilocaine 25 mg	Carton box containing 5 tubes ,each of 5 gm cream ,each tube is a collapsible aluminum tube closed with membrane ,internally coated with epoxy resine protective lacquer ,with polypropylene cap with spike for perforation of the membrane .With insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
41	Ivyrospan Syrup	Each 5 ml contains: Dried Ivy leaf extract 35 mg Standardized as hederacoside C (50 mg/g-250 mg/g)	Carton box containing amber (type III) glass bottle containing 100 ml syrup with white polypropylene cap containing white solid IDPE & Carbon dioxide foam with safety seal and transparent (HDPE) plastic measuring cup & inner leaflet.
42	Agnucaston Film Coated Tablets	Dry Extract from Agnus castus fruit 20 mg Assay Herbal preparation : Casticin , 0.05 – 0.25 [% (m / m)]	Carton box containing 3 or 6 (Al / transparent PVC / PVDC) strips , each of 10 film coated tablets + inner leaflet.
43	Klimadynon ® Film Coated Tablets	Dry extract of Cimicifuga racemosa 2.8 mg	Carton box containing 1, 2 or 3 (Al / colorless PVC / PVDC) strips ,each of 10 film coated tablets + inner leaflet.
44	Imoflora Tablet	Loperamide Hydrochloride 2 mg Simethicone 125 mg	Carton box containing one (AL / opaque PVC) strip of 10 tablets and an inner leaflet.
45	Norhinose Nasal Spray	Each metered dose contains: Mometasone Furoate Monohydrate 0.052 mg equivalent to Mometasone Furoate 0.05 mg.	Carton box containing an amber glass type (III) 15 ml capacity glass bottle containing 9.7 gm suspension of 60 doses or 18 gm suspension of 120 doses with a white polypropylene plastic nasal sprayer capped with lower density polyethylene (LDPE) dip tube surrounded by polypropylene housing cap capped with LDPE plastic transparent cap and an insert leaflet.
46	Algesal Suractive Topical Cream	Each 100 g contains: Diethylamine Salicylate 10 g Myrtecaine (nopoxamine) g 1	Carton box contains collapsible AL tube internally coated with epoxy and melamine film varnished the mastic layer on the bottom twice varnish with araldite lithographic pattern cylindrical part containing 40 g homogenous cream closed with “HDPE” screw cap + insert leaflet.
47	Supermag B6 Film Coated Tablets	Magnesium lactate Dihydrate 470 mg equivalent to Magnesium 48 mg -Pyridoxin Hydrochloride (Vitamin B6) 5 mg	Carton box contains 1 , 2 or 3 (Al / transparent (PVC / PVDC) blister , each of 10 film coated tablets with insert leaflet.
48	Megafen Tablets	Ibuprofen 200 mg Paracetamol 325 mg	Carton box containing 1 ,2 or 3 (Al / transparent PVC) blisters , each of 10 tablets + an insert leaflet.
49	Orly 60 mg Hard Gelatin capsules containing pellets	Each hard gelatin capsule contains 120 mg orlistat pellets 50%,equivalent to: Orlistat 60 mg	Carton box containing 1 ,2 , 3 , 4 , 5 or 6 (AL / AL) strips ,each of 10 hard gelatin capsules with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
50	Nasonex 50 mcg / actuation Nasal spray suspension	Each gm contains: Mometasone Furoate (as monohydrate) 0.5 mg	Carton box containing 23.5 ml white HDPE bottle containing 18 g suspension (140 actuations) supplied with a metered dose polypropylene spray pump actuator and an inner leaflet
51	Privacond Ophthalmic Solution	Each 1 ml ophthalmic solution contains: Tetrahydrozoline Hydrochloride 0.5 mg Polyvinyl Alcohol 5 mg Povidone 6 mg	Carton box containing 15 ml ophthalmic solution in white opaque LDPE plastic dropper bottle with white opaque LDPE dropper tip and HDPE screw cap and an inner leaflet.
52	Sinupret ® forte Coated Tablets	Herbal	Carton box contains 50 coated tablets in blisters , the blisters are made of transparent PVC / PVDC and aluminum foil , each blister contains 25 coated tablets with insert leaflet.
53	Avamys Nasal Spray Nasal Spray	Each spray actuation delivers: Fluticasone Furoate 27.5 mcg	Carton box contains (off-white plastic device with a dose indicator window , light blue side actuated lever and lid which contains a stopper .The plastic device contains the nasal spray suspension within a Type I amber bottle (glass) fitted with a metering spray pump) of 120 sprays and inner leaflet.
54	Glycerin Adult Suppositories	Glycerin 1.47 g	Carton box contains 2 (LDPE / White Opaque PVC) strips, each strip of 5 suppositories + an inner leaflet.
55	Glycerin Infantile Suppositories	Glycerin 0.7359 g	Carton box containing 2 (PVC / PE) strips , each of 5 suppositories and an inner leaflet.
56	Cetafen 200 / 500 mg Film Coated Tablets	Ibuprofen 200 mg Paracetamol 500 mg	Carton box containing 1 , 2 or 3 (AL / opaque PVC / PVDC) blisters , each of 10 tablets + inner leaflet.
57	Melacryst 3 mg Oro-dispersible Film	Melatonin 3 mg	Carton box contains 10 ,20 or 30 Oro-dispersible films ,each is packed in a four-layer pouch (from outside to inside : paper , LDPE , aluminum , LDPE) and insert leaflet.
58	Flixonase Nasal spray	Each actuation (100 mg) contains: Fluticasone Propionate micronized 0.05 mg	Carton box containing Amber (type III) glass bottle (weight of contents for 120 doses is not less than 15 gm) fitted with a metering atomizing spray pump with a low density polyethylene dip tube fitted to the pump is a combined polypropylene nasal white actuator covered with a green polypropylene dust cover and an insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
59	Agiolax Granules in sachets	Plantago Ovata seed (Plantago Ovata) 2.6 gm+ Ispaghulla husks(Plantago Ovata Forssk) 0.11 gm+Tinnevelly senna pods (Cassia angustifolia Vahl) 0.34 – 0.66 gm	Carton box containing 12 sachets , each of 5 gm and an insert leaflet.
60	Panadol Cold + Flu Vapour Release + Decongestant Powder for Oral Solution	Each sachet contains: Paracetamol 600 mg Phenylephrine Hydrochloride 10 mg	Carton box contains 10 (paper ,polyethylene , aluminium foil ,ethylene-methacrylic acid , co polymer (EMAA) laminate sachets with insert leaflet.
61	Panadol Sinus Relief PE Tablets	Paracetamol 500 mg Phenylephrine Hydrochloride mg	5 Carton box containing 2 (Al/Transparent colorless PVDC) strips, each of 12 tablets+ an inner leaflet.
62	Contractubex Topical Gel	Each 100 gm gel contains: Allantoin 1 gm Heparin Sodium 5000 I.U. equivalent to 0.04 gm Cepae fluid extract 10 gm	Carton box contains Al tube contains 20 , 30 , 50 gm & 100 gm gel with aluminum membrane and white screw HDPE plastic cap with insert leaflet
63	Menobrocond Film Coated Caplets	Acetaminophen 500 mg Pamabrom 25 mg	Carton box containing 1 , 2 or 3 (Al / opaque white PVC) strips , each of 10 film coated caplets + insert leaflet.
64	Cetafen Plus N Film Coated Tablets	Paracetamol 500 mg Ibuprofen 200 mg Caffeine Anhydrous 65 mg	Carton box containing 1 , 2 or 3 (opaque white PVC - PVDC - AL) strips , each of 10 tablets with insert leaflet.
65	Flu-C Powder for oral solution in sachets	Each sachet contains: Chloropheniramine Maleate 4 mg Paracetamol (microfined) 500 mg Caffeine Anhydrous 30 mg Ascorbic Acid (Vitamin C) 500 mg	Carton box containing 6 sachets (from outside to inside paper / LDPE/AL/LDPE) each containing 3 gm powder and insert leaflet.
66	Spasmomen Film Coated Tablets	Otilonium Bromide 40 mg	Carton box contains 2 (Al / white opaque PVC) strips , each of 10 tablets with insert leaflet.
67	Fastum 2.5% gel Topical Gel	Ketoprofen 2.5 g / 100 g	Carton box containing one tube of 15 ,50 ,60 , 100 gm gel and inner leaflet.
68	Purgolaxin Enema	Each 5 ml solution contains: Sodium Citrate 450 mg Sodium Lauryl Sulfoacetate 45 mg	Carton box contains 4 single dose white (LDPE) plastic tube with white (LDPE) plastic nozzle each containing 5 ml rectal solution with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
69	Ruscap hard gelatin capsule	Ruscus Aculeatus extract 150 mg+ Trimethyl hesperidin 150 mg+ Ascorbic acid 100 mg	Carton box containing 1,2 or 3 (AL/Transparent PVC)strips each of 10 hard gelatin capsule & insert leaflet
70	Alverinspasm soft gelatin capsule	Alverine Citrate 60 mg + Simethicone 300 mg	Carton box containing 1,2 or 3 (AL/PVC) strips each of 12 soft gelatin capsules + insert leaflet.
71	Marpalene 0.1% Topical cream	Adapalene 1mg in each 1gm	Carton box containing collapsible Aluminum tube of 30gm cream with white HDPE plastic cap and insert leaflet.
72	Vitamax Plus Soft Gelatin Capsules	Herbal medicine containing multivitamins and herbs	Carton box containing 1 , 2 or 3 (AL/PVC) strips ,each of 10 soft gelatin capsules and an inner leaflet.
73	Expaintech-PM Tablets	Paracetamol 500 mg Diphenhydramine Citrate 38 mg	Carton box containing 1 (AL/ white opaque PVDC) strip of 10 tablets + inner leaflet .
74	Anaseziago Topical Cream	Each 1 gm contains: Lidocaine 25 mg Prilocaine 25 mg	Carton box containing one AL tube of 30 gm and an inner leaflet.
75	Panadol Cold & Flu Day Film Coated Tablets	Paracetamol 500 mg Caffeine 25 mg Phenylephrine Hydrochloride 5 mg	Carton box containing 2 (Al+Child resistant foil /Opaque white PVC) strips , each of 12 film coated tablets and an insert leaflet.
76	Tussigreen Syrup	Each 5 ml Contains: Diphenhydramine Hydrochloride 14 mg Ammonium Chloride 135 mg	Carton box containing amber brown (Type III) glass bottle containing 100 ml syrup ,with high density polyethylene cap and(LDPE) plastic foam liner and insert leaflet.
77	Daflon 500 mg Film Coated Tablets	Each tablet contains: purified, micronized flavonoic fraction, composed of: Diosmin 90% (450 mg) Flavonoids (as hesperidin) 10% (50 mg)	Carton box containing 1 or 2 blisters pf (Transparent PVC / Al) ,each of 15 film coated tablet and inner leaflet.
78	Daflon 1000 mg Film Coated Tablets	Purified, Micronized Flavonoic Fraction1000 composed of: Diosmin 90% (900 mg) Flavonoids (as hesperidin) 10% (100 mg)	Carton box contains heat sealed 3 (Al / Transparent PVC) blisters ,each contains 10 film coated tablets with insert leaflet.
79	Controloc 20 mg Gastro resistant Tablet	Pantoprazole Sodium sesquihydrate 22.57 mg Eq. to Pantoprazole 20 mg	Carton box contains 1 or 2 (Al/Al) blisters each of 7 tablets and insert leaflet.
80	Jeparilon Chewable Tablets	Calcium Carbonate 800 mg Famotidine 10 mg Magnesium Hydroxide 165 mg	Carton box containing 2(Al/Al) strips , each of 5 chewable tablets and insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
81	Stopspasm Film Coated Tablets	Phloroglucinol 62.233 mg Trimethylphloroglucinol 80 mg	Carton box containing 1 , 2 or 3 (Al / PVC) strips , each strip contains 10 film coated tablets and an inner leaflet.
82	Gerozox Oral Suspension	Each 15 ml oral suspension contains: Dried Aluminum Hydroxide Gel 525 mg Magnesium Hydroxide 600 mg	Carton box containing 30 aluminum sachets ,each one contains 15 ml homogenous oral suspension consists of multiple layers (Aluminum foil / PET layer) from outside to inside labeled with product information with insert leaflet.
83	Novapantolix 20 mg Delayed Release Tablets	Pantoprazole Sodium Sesquihydrate micronized (D90 NMT 30 micron) 22.556 mg equivalent to Pantoprazole 20 mg	Carton box containing 1 or 2 (Al / Al) strips , each strip contains 7 delayed release tablets with insert leaflet.
84	Nexicure 20 mg Film Coated tablets	Esomeprazole Magnesium Trihydrate Pellets (22.5%) 98.71 mg equivalent to Esomeprazole 20 mg	-Carton box containing 1 (Al/Al) strip of 10 film coated tablet + insert leaflet. -Carton box containing 1 or 2 (Al / Al) strips, each of 7 film coated tablet + insert leaflet.
85	Estohalt 20 mg Hard Gelatin Capsules containing enteric coated pellets	Each capsule contains 235.294 mg pellets of 8.5% Omeprazole containing: Omeprazole 20 mg	Carton box contains one silica desiccant in LDPE capsule and 14 capsules in transparent amber brown type III glass bottle with aluminum cap lined with LDPE foam liner and an inner leaflet.
86	Balmentol Topical Spray	Each 80 ml topical spray contains: Menthol oil 4 gm Methyl Salicylate 1.6 gm Camphor 1.6 gm	Carton box contains an aluminum can of 120 ml containing 40 ml colorless clear solution with continuous valve , steam , stainless steel spring and polypropylene plastic actuator and notch cut HDPE dip tube and an insert leaflet.
87	Sedatuss Oral Suspension	Each 5 ml contains Cloperastine Fendizoate 35.4 mg Equivalent to: Cloperastine HCl 20 mg	Carton box containing amber (type III) glass bottle (its capacity 115 ml) containing 100 ml suspension capped with plastic polypropylene cap with low density expanded polyethylene (LDEPE) liner with insert leaflet.
88	Nexicure 20 mg Enteric Coated Granules for delayed release oral suspension	Each 1 sachet (3 gm) contains : 235.3 mg of (8.5% esomeprazole MUPS) which contain : Esomeprazole Magnesium Trihydrate 22.3 mg equivalent to Esomeprazole 20 mg	Pack of 7,10 or 14 free (Polyester /Al /LD Polyethylene) from outside to inside sachets , each contains 3000 mg granules with insert leaflet.
89	Utopiacold Powder for oral solution	Each sachet contains: Paracetamol 650 mg Diphenhydramine Hydrochloride 25 mg Phenylephrine Hydrochloride 10 mg	Carton box containing 6 sachet (from outside to inside (Paper / PA/AL/LDPE) ,each of 6 g oral powder with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
90	Contraplan II Tablets	Levonorgestrel 0.75 mg	Carton box containing 1 , 2 or 3 (Al / Transparent PVC) blisters , each of 2 tablets with insert leaflet.
91	Helixopan Syrup	Each 5 ml of syrup contains: Ivy leaves Extract Dry powder 35 mg	-Carton box printed with product information containing amber glass (type III) bottle contains 200 ml syrup closed with white (HDPE) plastic closure cap and the cap is connected to bottle neck by red coloured (HDPE) seal off and contain foam liner (Poly olefin). - Carton box printed with product information containing amber glass (type III) bottle with capacity 135 ml contains 120 ml syrup closed with white (HDPE) plastic closure cap and the cap is connected to bottle neck by red coloured (HDPE) seal off and contains foam liner (Poly olefin)
92	Nogestrel 0.75 mg Tablets	Levonorgestrel 0.75 mg (Micronized)	Carton box contains one (Al / transparent colorless PVC) strip of 2 tablets with insert leaflet.
93	Nogestrel 1.5 mg Tablets	Levonorgestrel (D90≤ 10µm) 1.5 mg	Carton box contains one (Al / colorless transparent PVC) strip of 1 tablet with insert leaflet.
94	Greeny Soft Gelatin Capsules	Peppermint Oil 56 mg Anise Oil 100 mg	Carton box containing 2 (Al /PVDC) strips ,each of 10 soft gelatin capsule and insert leaflet.
95	Gravomag 460/400 mg Oral Suspension	Each sachet (4.3 ml) contains: Aluminum Hydroxide 460 mg (as Aluminum Hydroxide gel) Magnesium Hydroxide 400 mg (as Magnesium Hydroxide gel)	Carton box contains 20 sachets each sachet consists of 3 layers from inside to outside (polyester , Aluminum , polyethylene) with insert leaflet.
96	Histalocetine Oro-dispersible tablet	Levocetirizine Dihydrochloride 5 mg	Carton box containing 1 , 2 or 3 (ALU / ALU) strips each of 10 tablets with insert leaflet.
97	Esomeprazole –Eva Pharma 20 mg Delayed Release Granules for Oral Suspension	Enteric Coated Pellets (15% of base) 133.33 mg contains: Esomeprazole magnesium trihydrtae 22.3 mg (equivalent to Esomeprazole 20 mg)	Carton box contains 14 Aluminum sachets composed of 3 layers from outside to inside (low density polyethylene terephthalate , aluminum and LDPE film) containing 4 gm granulated powder with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
98	Nicorette Invisi 10 mg Transdermal Patch	Each Patch contains: Nicotine 15.75 mg Delivered 10 mg Nicotine / 16 hr	Each patch is packed in a heat sealed laminate pouch consisting of paper , PET film , aluminum & cyclo olefin copolymer coextrudate (CoCcoex).
99	Nicorette Quickmist Oromucosal Spray	Each spray delivers: NICOTINE 1 mg	PET bottle containing 13.2 ml of solution .one bottle contains 150 sprays of 1 mg. The bottle is placed in a dispenser with a mechanical spray pump with an actuator. The dispenser has a child resistant feature with insert leaflet.
100	Enterogermina Oral Powder	Each 2 g sachet contains: Spores of poly-antibiotic resistant B.clausii 6 billion	-Drug Product: Cardboard carton containing 9 sachets composed of composite foil of inner layer transparent polyethylene(PE), middle layer aluminum foil (Al), and outer layer polyethylene terephthalate (PET) film. -Drug Substance: Airtight aluminum bottle of about 6 liters. Its closure system is composed of a chlorobutyl rubber cap and an aluminum cap.
101	Esomeprazole –Eva Pharma Enteric Coated Tablet	Esomeprazole 20 mg As Esomeprazole Magnesium Trihydrate 22.3 mg	Carton box contains one AL (Opa /Al / PVC) blister contains 10 enteric coated tablets with insert leaflet.
102	Nasoflutin Metered Nasal Spray	Each (metered dose inhalation) contains: Fluticasone Furoate (Micronized) 27.5 mcg (D90 NMT 45 micron)	Carton box containing an amber glass bottle type III containing 10 ml suspension with LDPE / PP tube and an INOX spring , capped with a colorless transparent polypropylene cap + inner leaflet.
103	Ambezim G Enteric Coated Tablets	Trypsin and Chemotrypsin (Corresponding to the activity of Trypsin 5 mg + Chemotrypsin 5 mg) 200000 P.U. (Proteolytic Units)	Carton box containing 2 (Al/PVC) strips , each of 10 tablets and an inner leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
104	Canephron Uno Coated Tablets	-Each coated tablet contains: Centaury aerial parts , pulverized (Centaureum erythraea s.l.) 36 mg -Total polyphenols , calculated as pyrogallol (0.35 – 2.3 mg / 100 mg) Lovage root , pulverized (Levisticum officinale Koch) 36 mg -Essential oil assay for the cut drug : > = 3.0 [ml/kg] Rosemary leaf , pulverized (Rosmarinus officinalis L) 36 mg -Total hydroxycinnamic derivatives expressed as rosmarinic acid assay > = 3 [% (m/m)] -Essential oil assay ; > = 12 [ml/kg]	Carton box containing 2 (PVC / PVDC –AL foil) blisters each of 15 coated tablets.
105	Fluimucil Effervescent tablets	Acetylcysteine 600 mg	Carton box containing 5 [(AL/PE) / (PA/AL/PE)] blisters , each of two tablets and an inner leaflet.
106	Nicorette Invisi 15 mg Transdermal Patch	Each patch contains: Nicotine 23.62 mg Delivered 15 mg nicotine / 16 hr	Each patch is packed in a heat sealed laminate pouch consisting of paper , PET film , aluminum & cyclo olefin copolymer coextrudate (CoCcoex).
107	Nicorette Invisi 25 mg Transdermal Patch	Each patch contains: Nicotine 39.37 mg Delivered 25 mg nicotine / 16 hr	Each patch is packed in a heat sealed laminate pouch consisting of paper , PET film , aluminum & cyclo olefin copolymer coextrudate (CoCcoex).
108	Pridocaine Topical Cream	Each 1 gm contains: Lidocaine 0.025 gm Prilocaine 0.025 gm	Carton box containing aluminum tube with AL membrane of 15 gm or 30 gm cream with HDPE cap with insert leaflet.
109	Sinupret Syrup	Herbal Medication	Cardboard box containing 100 ml brown amber glass type III bottle filled with syrup , with a pouring aid , closed with a PP screw cap and HDPE tamper evident ring.
110	Linorose Soft Gelatin Capsules	Refined evening primrose oil 1000 mg Latin name: Oenothera biennis L. or Oenothera lamarckiana L. Standardized as : Linoleic acid 65% to 85%	Carton box containing 3 (AL /transparent colorless PVC / PVDC) strips each of 10 S.G.C. + inner leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
111	Imodium Instants Oro-dispersible tablets	Loperamide Hydrochloride 2 mg	Carton box contains (AL/AL) blister of 6 tablets , consisting of a seal foil (Paper / PET / ALu-foil) and a base foil (PVC / OPA / ALu / OPA , PVC-foil) with insert leaflet.
112	Bilastigec Tablets	Bilastine (D90 less than 80µm) 20 mg	Carton box containing 1,2 or 3 (Al/Al) strips , each of 10 tablets + an inner leaflet.
113	Gaviscon Double Action Liquid Oral suspension in bottle	Each 10 ml contains: Sodium Alginate 500 mg Sodium Hydrogen Carbonate 213 mg Calcium Carbonate 325 mg	Amber glass type III bottle containing 150 ml suspension with polypropylene (PP) screw-cap with high density polyethylene (HDPE) tamper evident band fitted with an expanded polyethylene (EPE) wad.
114	Gaviscon Double Action Liquid sachets Oral Suspension in sachets	Each sachet (10 ml) oral suspension contains: CALCIUM CARBONATE 325 mg SODIUM ALGINATE 500 mg SODIUM BICARBONATE 213 mg	Carton box containing 2, 6, 12, 24 and 36 units dose stick pack style sachets, made of polyester, Aluminum and polyethylene, each sachet of 10 ml with insert leaflet.
115	Adanoid 0.1% Topical gel	Adapalene ; micronized 0.1 gm / 100 g	Carton box containing inner laminated low density polyethylene / high density polyethylene tube containing 30 gm topical gel with polypropylene cap + inner leaflet.
116	Amcilonap Metered Nasal Spray	Each metered nasal spray contains: Triamcinolone Acetonide micronized 55 µg	Carton box containing 1 white opaque HDPE (High density poly ethylene) bottle of 20 g capacity containing 16.5 g suspension with at least 120 sprays of white to off-white aqueous suspension with metering atomizing spray pump made of several parts; low density polyethylene piston, polyethylene screw cap and stainless-steel ball and spring, LDPE compound gasket, LDPE/PP compound dip-tube and polydimethyl-siloxane surface lubricant with inner insert.
117	Ebastel Film Coated Tablets	Ebastine 10 mg	Carton box contains 1 or 2 (Al/Transparent Colorless PVC/LDPE/PVDC) Strips each of 10 film coated tablets with insert leaflet.
118	MERVOSA Syrup	Each 5 ml contains: LEVOCETIRIZINE Hydrochloride 2.5 mg	Carton box containing PET plastic bottle with capacity of 150 ml containing 120 ml solution with (HDPE) plastic cap and seal with insert leaflet
119	Napizole 20 mg Hard gelatin capsules containing enteric coated pellets	Each hard gelatin capsule contains: 235.29 mg of 8.5% omeprazole pellets which contains: Omeprazole 20 mg	Carton box contains white (HDPE) plastic jar with white polypropylene plastic cap containing silica gel sachet with aluminum foil induction seal contains 14 hard gelatin capsules with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
120	Rastiglo Oral suspension	Each 1 ml contains: Cloperastine fendizoate (Particle size : 50% < 20 Micron, 90% < 75 Micron) 3.54 equivalent to Cloperastine HCl 2 mg	Carton box containing (Type III) amber glass bottle of 125 ml volume containing 100 ml suspension overed with white polypropylene plastic cap (with low density polyethylene inner lining foam) + measuring cup with insert leaflet.
121	Pepzole 20 mg Hard Gelatin Capsules containing Enteric Coated pellets	Omeprazole 20 mg	Carton box containing one (Alu/White opaque PVDC) blisters each of 14 hard gelatin capsules and insert leaflet.
122	Protofix Gastro-resistant enteric coated tablets	Pantoprazole sodium sesquihydrate 22.5 mg Eq. to pantoprazole 20 mg.	Carton box contains 2 (Al/Al) blisters, each of 7 gastro-resistant enteric coated tablets with an insert leaflet.
أدوية تمت الموافقة عليها في شهر أغسطس 2024			
123	Rhinocort® Aqua 64 µg Nasal spray	Each dose contains: Budesonide 64 mcg	Carton Box contains amber glass (Type III) bottle Fitted with a spray Pump and Nasal applicator 120 doses. the Pump consists of Plastic Components (Adapter, Cylinder, Piston, Seal Housing, Stem, Dip tube), elastomer, (gasket) and metal components (spring, ball and crimp closure) and Nasal applicator consisting of Nasal actuator, Spray insert and protecting Cap with insert leaflet.

	Trade Name	Active Ingredient	Approved Pack Limit
124	Strogenzo Hard Gelatin Capsules	Estro G-100 : A proprietary blend of standardized extracts of: 257 mg *Angelica gigas root extract powder 90 mg -Latin name: Angelica gigas Nakai. -Standardization : Nodakenin – NLT 0.335% *Cynachum wilfordii root extract powder 83.5 mg -Latin name: Cynachum wilfordii Hemsley -Standardization : cinnamic acid – NLT 0.0012% *Phlomis umbrosa root extract powder 83.5 mg -Latin name: Phlomis umbrosa Turcz -Standardization : Shanzhiside methyl ester – NLT 0.02%	Carton box containing 3 (Al/Transparent PVC / PVDC) strips, each of 10 capsules kept in alum. foil sealed bag + an insert.
125	Windy 600 mg Oral Granules	Each 1 sachet (5 gm) contains: Acetylcysteine 600 mg	Carton box contains 10 aluminum laminated foil sachets each sachet consists of 4 layers from inside to outside (LDPE , Aluminum , LDPE , paper) each sachet contains 5 gm oral granules with insert leaflet.

يرجى ملاحظة أنه يتم تغيير وضع المستحضر وإلغاء ادراجة بقائمة الأدوية غير الوصفية ؛ حال ظهور أى معلومات جديدة خاصة بمأمونية المستحضر مما يجعله غير ملائماً للاستخدام بواسطة المريض دون اشراف طبي