

Egyptian Drug Authority
Decree No. 271 of 2021
Regarding The Requirements that shall be met in
the Accessory Stores Related to Pharmaceutical Institutions

Chairman of the Egyptian Drug Authority

After perusal of the following:

The Pharmacy profession practice Law No. 127 of 1995 and its amendments.

The Egyptian Drug Authority Law No. 151 of 2019 and its executive regulations;

Ministerial Decree No. 11 of 1955 regarding the requirements that shall be met in accessory stores;

What was presented by the head of the Central Administration Of Operations;

And for the work interest:

Decided
(Article 1)

The accessory stores prepared for storing medical products for the need of pharmaceutical institutions shall meet the following requirements:

1. The accessory store shall be constructed of modern non-combustible building materials that comply with the Egyptian standard conditions. the net height of the ceiling shall not be less than 2.6 meters.
2. The accessory store space shall be on one or two levels. It shall have one door and one upper ceiling. The connection between them shall be done by an internal ladder. The presence of attic shall not be included in the calculation of the accessory store area.
3. The ground level of the accessory store shall not be less than the level of the street or the land adjacent there to, as the case may be. The ground level can be lower than the adjacent ground with the condition of taking adequate precautions to prevent water from leaking into the storage place, including the availability of a drainage network. It is not permissible to open accessory store in the basement or garage or in an apartment licensed as a residential or administrative activity.
4. The floor shall be made of non-combustible materials, tight interspacing and easy to clean
5. Cover the walls with easy-to-clean materials to prevent bacterial growth
6. The storage place shall meet the requirements of good storage practices (GSDP) as follows:

- a. Maintaining the temperature and humidity according to the specifications of medicines and pharmaceutical products. the temperature shall not exceed 30 degrees Celsius, and the humidity shall not exceed (65%), with the installation of thermometers and hygrometers in a visible place in the storage place to measure them. The pharmacist shall record the readings on a regular basis. In the event that there are products to be stored at special temperatures, a refrigerator or a cold room must be available, and

the temperatures shall be measured by means of external calibrated thermometers.

- b. Allocate a separate place for storing expired pharmaceutical products away from valid pharmaceutical products, until these products are destroyed or returned to the producing company under approved documents, and coordination with the competent health authorities, and a sign shall be placed on this place with a clear statement, "Expired medical products that must not be used."
 - c. Placing a narrow wire mesh on the windows of the accessory store.
 - d. Storing medical products on metal stands or made of materials that are not combustible and prevent bacterial growth - fixed at a height of 45 cm from the ground. It is strictly prohibited to put anything below these stands. Stored products shall be at least 20 cm away from the wall and at least 60 cm from the ceiling.
7. A licensed electricity meter must be available in the accessory store, and in case that it is not available, the license applicant must have a certificate from the competent electricity authority that the accessory store is provided with continuous and independent electric current until the electricity meter is available
 8. It is prohibited to have a water supply and a bathroom inside the accessory store belonging to any of the pharmaceutical institutions.
 9. It is allowed to have a water supply inside the accessory store belonging to the factories licensed and subjected to the supervision and inspection of the Egyptian Drug Authority. In the event of water supply available, it shall be equipped with an independent water supply meter, and the drainage system shall be independent.
 10. It is prohibited to use the accessory store for housing, and also it is prohibited to put sleeping tools inside it.
 11. Fire extinguishers or a fire-extinguishing system shall be available inside the accessory store.
 12. In the case of licensing accessory store belonging to the licensed factories subjected to the supervision and inspection of the Egyptian Drug Authority, it shall be outside the limits of the factory fence. Air curtains shall be installed at all entrances and exits and shall be operated automatically with opening.
 13. A fixed banner shall be placed on the door of accessory store belonging to any of the pharmaceutical institutions, written on it in clear Arabic script, "accessory store belonging to the pharmaceutical institution with the name shown in the license of the pharmacy institution, and a statement that the trading shall not be made through it.
 14. It is prohibited to keep in the institution any materials or tools other than the materials and tools necessary for the work for which the accessory store is licensed.
 15. The area of accessory store belonging to medical products store shall not be less than 25 square meters (twenty-five square meters), and not to exceed the space of the medical products store stated in the applicable regulatory decrees.

16. The area of accessory store belonging to the community pharmacy, the private pharmacy, the warehouse, or the shop for trading in medical plants shall not be less than 25 m (twenty-five square meters). The area shall not be more than twice the area of the original pharmaceutical institution to which it belongs.

(Article 2)

The competent health authority shall be committed the following licensing controls:

- 1- Conducting the first licensing inspection on the place to be licensed within thirty days from the date of receiving the licensing application by the competent health authority. If the health requirements are not fulfilled, the license applicant shall be granted a first period of eight months to fulfill the health requirements, Then the licensing inspection shall be repeated at the end of the granted period. If the inspection proves that the health requirements are not met, the license applicant shall be granted a second period of four months, which is half the first period, to complete it. If it is subsequently proven that the health requirement are not fulfilled, the licensing application shall be rejected.
- 2- Ensure that the storage area matches the latest layout approved by the competent health authority.
- 3- The accessory store license data shall be registered on the original license of the pharmaceutical institution. The license data of the pharmaceutical institution shall also be recorded on the license of its accessory store.
- 4- The community pharmacy, the private pharmacy, the medical products store, the warehouse, or the shop for trading in medical plants shall have only one accessory store. accessory store of the community pharmacy, medical proucts store, warehouse, or the shop for trading in medicinal plants shall be within the same district of the original pharmaceutical institution. As for the private pharmacy, its accessory store shall be within the licensed institution in which the private pharmacy is located. It is prohibited to license accessory store belonging to medical products stores in villages.
- 5- The pharmaceutical institution shall have the right to license accessory store in case it needs additional storage space.
- 6- The accessory store shall be dedicated only to storing medical products for the needs of the pharmaceutical institution to which it belongs (community pharmacy, private pharmacy, medical products store, warehouse, or shop for trading in medical plants). It is strictly prohibited to distribute medical products from it, store medical products for another pharmaceutical institution, or sell to the public. In case of violation of the previous rule, the owner of the pharmaceutical institution to which the accessory store belongs, and the responsible manager shall be notified. In case of repetition, the accessory store shall be closed administratively for a period of one month, and in case of continuous violation, the license shall be permanently cancelled.
- 7- It is prohibited to rent any part of accessory store that belongs to community pharmacy, private pharmacy, medical products store, warehouse, or the shop of trading in medical plants. It may also not be used for anything other than its licensed purpose.
- 8- In the event of cancellation of the license of the main pharmaceutical institution, the license of the accessory store is cancelled as consequence

- 9- In case of licensing an accessory store. The original license of the pharmaceutical institutions must be valid, and it must be proven that the institution is currently active
- 10- The managing pharmacist of the pharmaceutical institution (community pharmacy, private pharmacy, medical products store, warehouse, or the shop of trading in medical plants) is responsible for the accessory store that belongs to the institution.
- 11- The accessory store shall be licensed as a commercial activity and not connected with a private residence or a shop for another industry or has outlets connected to any of that. It is also necessary to address the competent district office to indicate the place to be licensed is a commercial store not a residential apartment, a garage, basement, or an administrative place and whether it belongs to state property or is located in a random unorganized region and whether a decision has been issued to remove the building or not. In case of licensing accessory store belonging to a medical products store, the district office shall be addressed to ensure that the place is located in a city not in a village.
- 12- The original license of the accessory store, the layout approved by the competent health authority, a photocopy of the license of the original pharmaceutical institution to which the accessory store belongs and a photocopy of the license to practice the profession of the manager in charge of the original pharmaceutical institution shall always be kept in the accessory store for submission upon request.
- 13- The competent pharmacy administration shall send the licensing file of the accessory store belonging to a medical products store to the Egyptian drug Authority after fulfilling the health requirements and documents as stated in Annex No. (1), for review and taking decision, and the license shall be issued after payment of the service consideration.

(Article 3)

Owners of accessory store belonging to the pharmaceutical institutions existing at the time of publication of this decree shall reconcile the accessory store in terms of the health requirements of within a maximum period of one Gregorian year starting from the date of application of the decree

(Article 4)

All decisions that contradict with this decree shall be cancelled.

(Article 5)

This decision shall be published in the Egyptian Official Gazette and shall be effective by the day following the date of its publication.

Chairman of the Egyptian Drug Authority
Prof. Dr. Tamer Mohamed Essam



CR: 353570

Tax ID: 200-328-697

ISO 9001-2015 Certified

15 NOV 2021





15 NOV 2021

Annex No (1)

Documents required to be submitted to license accessory store belonging to a pharmaceutical institution:

- 1- An application signed by the owner of the original pharmaceutical institution to license an accessory store shall be directed to the competent pharmacy administration in the case of licensing accessory store belonging to a medical products store, a community pharmacy, a private pharmacy, or a shop that trades in medical plants, or the application shall be directed to the Egyptian Drug Authority in the case of licensing accessory store belonging to warehouse or factories licensed and subjected to the supervision of the Egyptian Drug Authority
- 2- A layout of three copies of the accessory store to be licensed.
- 3- The receipt of payment of the examination fee of three Egyptian pounds.
- 4- An undertaking signed by the owner of the original pharmaceutical institution, stating that no selling of pharmaceutical products to public or any other pharmaceutical institution from the accessory store belonging to community pharmacy, private pharmacy, medical products store, warehouse, or shop for trading in medical plants, and stating that no storing of any pharmaceutical products belonging to another institution in it.

Documents to be completed during the accessory store licensing procedures and before issuing the license:

- 1- A copy of the contract of possession of the accessory store (rental contract, or ownership contract), and it shall be valid and authenticated (real estate declaration or court judgment) (bring the original for perusing).
- 2- The competent district to which the place to be licensed as a accessory store belongs, shall be addressed (in the case of a community pharmacy, private pharmacies, medical products store, warehouse, or shop for trading in medicinal plants). To ensure that the place to be licensed in terms of is a place with commercial activity and not a residential apartment, basement or garage, and to state whether it is located in a random unplanned region or not, and whether a demolition or removal decision has been issued for the building or not. Also, in case of licensing an accessory store belonging to a medical products store, the competent district shall state that the address of the place to be licensed is located in a city and not in a village. In case of licensing the accessory store in area belonging to the New Urban Communities Authority, it shall be addressed to them to give their opinion on the current activity of the place under licensing, and approve the issuance of accessory store
- 3- An original document from the electricity company stating that there is an independent electricity meter inside the place to be licensed as accessory store only. This document shall clearly state the meter number and the place address, or bring an original document from the electricity company stating that the electricity has been connected in the place permanently and independently until the meter is installed, with an explanation of the reason for not installing the meter from the electricity company. This document is required in case of a community pharmacy, a private pharmacy, a medical products store, a warehouse, or a shop for trading in medical plants).

٤٠ - الوقائع المصرية - العدد ١٣٨ فى ٢١ يونية سنة ٢٠٢١

٣ - ألا يقل مستوى أرضية العين عن مستوى الشارع أو الأرض المجاورة لها بحسب الأحوال ، ويستثنى من ذلك حالة اتخاذ الاحتياطات الكافية لمنع تسرب المياه إلى داخل محل الخزن بما فى ذلك إنشاء شبكة صرف ، ولا يجوز فتح محل خزن فى البندوم أو الجراج أو فى شقة مرخصة كنشاط سكنى أو إدلى .

٤ - أن تكون الأرضية من مواد غير قابلة للاحتراق ومحمومة الفواصل وسهلة التنظيف .

٥ - أن تغطى الحوائط بمواد سهلة التنظيف لمنع نمو البكتريا .

٦ - أن يتوافر فى محل الخزن اشتراطات التخزين الجيد « G S P »

على النحو التالى :

(أ) المحافظة على درجة الحرارة والرطوبة التى تفرضها مواصفات الأدوية والمستحضرات الصيدلانية، بحيث لا تزيد درجات الحرارة على ٣٠ درجة مئوية ونسبة الرطوبة على (٦٥ / %) مع تركيب مؤشرات بمكان ظاهر بمحل الخزن لقياسهما ، والتزام الصيدلى بتسجيل القراءات بصفة منتظمة ، وفى حال وجود مستحضرات يتعين تخزينها فى درجات حرارة خاصة فإنه يتعين توفير ثلاجة أو غرفة تبريد وتقاس درجات الحرارة بها عن طريق عدادات خارجية معايرة .

(ب) تخصيص مكان منفصل لتخزين المستحضرات الصيدلانية المنتهية الصلاحية بعيداً عن المستحضرات الصيدلانية المستخدمة ، وذلك لحين إعدام هذه المستحضرات أو إعادتها إلى الشركة المنتجة بموجب مستندات معتمدة ، وبمراعاة التنسيق مع السلطة الصحية المختصة ، على أن يوضع على هذا المكان لافتة مدون عليها بعبارة واضحة ، أدوية منتهية الصلاحية لا يجوز استخدامها .

Certified True Copy
From The Original document
Egymark for Certified Translation Services

عنه د. ميرال حمير

الوقائع المصرية - العدد ١٣٨ فى ٢١ يونيو سنة ٢٠٢١ ٤١

- (ج) وضع شبكة من السلك الضيق النسيج على نوافذ محل الخزن .
- (د) وضع الأدوية على قوائم معدنية ، أو مصنوعة من مواد غير قابلة للاحتراق وتمنع نمو البكتريا - ثابتة بارتفاع ٤٥ سم عن الأرض ، وممنوع منعًا باتًا وضع أى شئ أسفل هذه القوائم ، ويتعين أن تبعد المستحضرات المخزنة عن الحائط بمسافة ٢٠ سم على الأقل ، وعن السقف ٦٠ سم على الأقل .
- ٧ - وجود عداد كهربائى مرخص أو شهادة صادرة من شركة الكهرباء المختصة - فى حالة عدم توافر عداد كهرباء بالشركة ، تفيد مد الكهرباء للعين بصفة مستمرة لحين تركيب عداد دائم .
- ٨ - يحظر وجود مورد مياه ودورة مياه داخل محل الخزن التابع لأى من المؤسسات الصيدلانية .
- ٩- يسمح بوجود مورد مياه داخل محال الخزن التابعة للمصانع المرخصة والخاضعة لرقابة هيئة الدواء المصرية ، وفى حالة وجوده فإنه يلزم أن يكون مزود بعداد مياه مستقل وكذا يكون نظام الصرف فيه مستقل .
- ١٠ - لا يجوز استعمال المحل للسكن ، كما لا يجوز وضع أدوات النوم بداخله .
- ١١ - يجب توفير طفايات حريق أو نظام إطفاء الحرائق داخل محل الخزن .
- ١٢ - فى حالة ترخيص محل خزن تابع للمصانع المرخصة والخاضعة لرقابة هيئة الدواء المصرية ، يجب أن يكون خارج حدود سور المصنع ، وتركب ستائر هوائية على جميع المداخل والمخارج وتعمل أوتوماتيكيا مع الفتح .
- ١٣ - تعلق لافتة ثابتة على واجهة محل الخزن التابع لأى من المؤسسات الصيدلانية مكتوب عليها بخط عربى واضح محل خزن تابع للمؤسسة الصيدلانية / الاسم المثبت فى رخصة المؤسسة الصيدلانية ولا يتم البيع من خلاله .



عنه د. مبرال حمزة

١٤ - لا يجوز الاحتفاظ فى العين بأى مواد أو أدوات غير المواد والأدوات اللازمة للعمل المرخص من أجله محل الخزن .

١٥ - يجب ألا تقل مساحة محل الخزن التابع لمخزن أدوية عن ٢٥ م^٢ (خمسة وعشرون مترًا مربعًا) ، وألا تتجاوز مساحة مخزن الأدوية المنصوص عليها فى القرارات المنظمة السارية .

١٦ - يجب ألا تقل مساحة محل الخزن التابع للصيدلية العامة أو للصيدلية الخاصة أو لمستودع الوسطاء أو لمحل الاتجار فى النباتات الطبية عن ٢٥ م^٢ (خمسة وعشرون مترًا مربعًا) وألا تزيد المساحة عن ضعف مساحة المؤسسة الصيدلية الأصلية الملحق بها .

(المادة الثانية)

تلتزم السلطة الصحية المختصة بضوابط الترخيص الآتية :

١ - إجراء المعاينة الأولى للمكان المراد ترخيصه خلال ثلاثين يومًا من ترويج ورود طلب الترخيص إلى السلطة الصحية المختصة فإذا كانت الاشتراطات الصحية غير مستوفاة يمنع طالب الترخيص مهلة أولى لاستكمال الاشتراطات الصحية على أن تكون مدتها ثمانية أشهر، ثم تعاد المعاينة فى نهايتها فإذا أثبتت المعاينة عدم استيفاء الاشتراطات الصحية فيجوز منح طالب الترخيص مهلة أربعة أشهر. وهى نصف المهلة الأولى. لاستكمالها . فإذا ثبت بعد ذلك أن الاشتراطات الصحية لم تستوف رفض طلب الترخيص نهائيًا .

٢ - التأكد من مطابقة محل الخزن لأخر رسم هندسى معتمد من السلطة الصحية المختصة .



الوقائع المصرية - العدد ١٣٨ فى ٢١ يونية سنة ٢٠٢١ ٤٢

- ٣ - تدون بيانات ترخيص محل الخزن على الترخيص الأسمى للمؤسسة الصيدلية كما تدون بيانات ترخيص المؤسسة الصيدلية على ترخيص محل الخزن التابع لها .
- ٤ - يرخص للصيدلية العامة أو الصيدلية الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية بمحل خزن واحد فقط ، ويجب أن يكون محل الخزن التابع للصيدلية العامة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية فى نطاق الحى التابع له المؤسسة الصيدلية الأصلية ، أما الصيدلية الخاصة فيجب أن يكون محل الخزن التابع لها داخل المنشأة المرخصة لها الصيدلية الخاصة ، ولا يجوز ترخيص محلات الخزن التابعة لمخازن الأدوية فى قرى .
- ٥ - يرخص للمؤسسة الصيدلية محل خزن فى حالة حاجتها لمساحة تخزينية إضافية .
- ٦ - أن يكون محل الخزن مخصصاً فقط لخزن الأدوية لحاجة المؤسسة الصيدلية (الصيدلية العامة أو الصيدلية الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية) ويحظر تماماً التوزيع منه أو خزن أدوية لمؤسسة صيدلية أخرى أو البيع للجمهور ، وفى حالة مخالفة ما تقدم ينذر صاحب المؤسسة الصيدلية التابع لها محل الخزن والمدير المسئول وفى حالة التكرار يغلَق المحل إدارياً لمدة شهر وفى حالة استمرار المخالفة تلغى الرخصة نهائياً .
- ٧ - لا يجوز تأجير أى جزء من محل الخزن التابع لأى من الصيدلية العامة أو الصيدلية الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية ، كما لا يجوز استعماله لغير الغرض المرخص من أجله .
- ٨ - فى حالة إلغاء ترخيص المؤسسة الصيدلية يلغى ترخيص محل الخزن بالتبعية .
- ٩ - يجب أن تكون رخصة المؤسسة الصيدلية الأصلية سارية وثابتة ممارسة المؤسسة لنشاطها حال ترخيص محل خزن تابع لها .

Certified True Copy
From The Original document
Eyemark for Certified Translation Services

سنة دايرال عمر

- ١٠ - أن يكون المدير الصيدلى المسئول عن المؤسسة الصيدلية (الصيدلية العامة أو الصيدلية الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية) هو المسئول عن محل الخزن التابع لها أيضًا .
- ١١ - أن يكون محل الخزن مرخصًا كنشاط تجارى وغير متصل مع مسكن خاص أو محل مدار لصناعة أخرى أو منافذ تتصل بأى شئ من ذلك كما يتعين مخاطبة الحى المختص للإقادة عن المكان المراد ترخيصه كمحل خزن من حيث كونه محل تجارى أو شقة سكنية أو بدروم جراج أو إدلى ويخضع لأحكام الدولة أو يقع فى منطقة عشوائية أو صادر له قرار إزالة من عدمه ، وللتأكد من أن المكان يقع داخل مدينة وليس داخل قرية فى حال طلب ترخيص محل خزن تابع لمخزن أدوية .
- ١٢ - التأكد من حفظ أصل رخصة محل الخزن ، والرسم الهندسى المعتمد من السلطة المختصة ، وصورة ضوئية من ترخيص المؤسسة الصيدلية الأصلية التابع لها محل الخزن ، وصورة ضوئية من ترخيص مزولة المهنة للمدير المسئول عن المؤسسة الصيدلية الأصلية التابع لها محل الخزن على الدوام بمحل الخزن لتتقدمها عند الطلب .
- ١٣ - ترسل إدلة الصيدلة المختصة ملف ترخيص محل الخزن لمخزن أدوية إلى هيئة الدواء المصرية، بعد استيفاء الاشتراطات الصحية والمستندات على النحو المبين بالعرفق رقم (١) ، لمراجعته والبت فيه ، وإصدار الترخيص بعد سداد مقابل الخلطة المقرر .

(المادة الثالثة)

على أصحاب محال الخزن التابعة للمؤسسات الصيدلية القائمة وقت صدور هذا القرار توفيق أوضاعهم من حيث الاشتراطات الصحية لمحل الخزن التابع للمؤسسة الصيدلية خلال مدة أقصاها عام ميلادى من تاريخ العمل بالقرار .



عبد الرحمن محمد

الوقائع المصرية - العدد ١٣٨ فى ٢١ يونية سنة ٢٠٢١ ٤٥

(المادة الرابعة)

يلغى كل ما يخالف أحكام هذا القرار من قرارات .

(المادة الخامسة)

ينشر هذا القرار فى الوقائع المصرية ، ويعمل به اعتباراً من اليوم التالى لتاريخ نشره .

رئيس هيئة الدواء المصرية

أ.د/ تامر محمد عصام

Certified True Copy
From The Original document
Egymark for Certified Translation Services

ع.د/ ميرال عمر

مرفق (١)

المستندات المطلوب تقديمها لترخيص محل خزن تابع للمؤسسة الصيدلية :

١ - طلب موقع من صاحب المؤسسة الصيدلية الأصلية لترخيص محل خزن تابع لها موجه إلى إدلة الصيدلة المختصة فى حالة ترخيص محل خزن تابع لمخزن أدوية أو صيدلية عامة أو صيدلية خاصة أو محل اتجار فى النباتات الطبية ، أو طلب موجه إلى هيئة الدواء المصرية فى حالة ترخيص محل خزن تابع لمستودع وسطاء أو للمصانع المرخصة والخاضعة لرقابة هيئة الدواء المصرية .

٢ - رسم هندسى من ثلاث صور لمحل الخزن المراد الترخيص به .

٣ - الإيصال الدال على سداد رسم النظر وقدره ثلاثة جنيهات مصرية .

٤ - تعهد من صاحب المؤسسة الصيدلية الأصلية بعدم البيع من خلال محل الخزن التابع لأى من الصيدلية العامة أو الصيدلية الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية للججمهور أو لأى مؤسسة صيدلية أخرى وعدم تخزين أى مستحضرات صيدلية تخص مؤسسة أخرى به .

المستندات التى يتم استيفائها أثناء إجراءات ترخيص محل الخزن وقبل

إصدار الرخصة :

١ - صورة من سند الحيابة لمحل الخزن (عقد إيجار ، أو عقد تملك) ، على أن يكون سرياً وموثقاً (الشهر العقلى أو حكم محكمة) (إحضار الأصل للاطلاع) .

٢ - يتم مخاطبة الحى المختص الذى يتبعه عنوان المكان المراد ترخيصه محل خزن (فى حالة الصيدلية العامة أو الصيدليات الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية) للإفادة عن وضع محل الخزن المطلوب ترخيصه من حيث كونه محل تجارى وليس شقة سكنية أو بترول أو جراج أو يقع فى منطقة عشوائية من عدمه أو صدر له قرار هدم أو إزالة ، وأيضاً الإفادة عن أن عنوان



عنه دربرال محمد

الرقائع المصرية - العدد ١٣٨ فى ٢١ يونيو سنة ٢٠٢١ ٤٧

المكان المراد ترخيصه محل خزن يقع داخل مدينة وليس داخل قرية وذلك فى حال ترخيص محل خزن تابع لمخزن أدوية ، وفى حالة كون المكان المراد ترخيصه محل خزن يتبع هيئة المجتمعات العمرانية الجديدة يتم مخاطبتها لإبداء الرأى بالموافقة على ترخيص النشاط المطلوب .

٣ - أصل مستند من شركة الكهرباء يفيد وجود عداد كهرباء مستقل داخل العين المراد ترخيصها فقط، على أن يثبت بالمستند رقم العداد وعنوان المحل بشكل واضح، أو إحضار أصل مستند من شركة الكهرباء يفيد أنه تم توصيل التيار الكهربائى بصورة دائمة ومستقلة لحين تركيب العداد مع توضيح سبب عدم تركيب العداد من شركة الكهرباء، وذلك فى حالة الصيدلية العامة أو الصيدلية الخاصة أو مخزن الأدوية أو مستودع الوسطاء أو محل الاتجار فى النباتات الطبية .

صبري محمد

حازي محمد



محمد درويش